



OKLAHOMA
Environmental
Quality

Oklahoma Department of Environmental Quality
Laboratory Accreditation Program

Scope of Accreditation



Green Country Testing, Inc. - OKC

6510 S. Western Ave. Suite 207
Oklahoma City, OK 73139
(405) 232-1966

Laboratory ID: OK01001
State Lab ID: 9953
TNI General Environmental

Certificate Number: 2026-167
Date of Issue: 8/17/2026
Expiration Date: 12/31/2026

Has demonstrated the capability to analyze environmental samples in accordance with Oklahoma Rules 252:307
and is hereby granted CERTIFICATION FOR:

Matrix/Analyte	Method	Status	Notes
Non-Potable water			
Toxicity Characteristic Leaching Procedure (TCLP)	EPA 1311_0_1992	Good Standing	
Aluminum	EPA 200.7_4.4_1994	Good Standing	
Antimony	EPA 200.7_4.4_1994	Good Standing	
Arsenic	EPA 200.7_4.4_1994	Good Standing	
Barium	EPA 200.7_4.4_1994	Good Standing	
Beryllium	EPA 200.7_4.4_1994	Good Standing	
Boron	EPA 200.7_4.4_1994	Good Standing	
Cadmium	EPA 200.7_4.4_1994	Good Standing	
Calcium	EPA 200.7_4.4_1994	Good Standing	
Chromium	EPA 200.7_4.4_1994	Good Standing	
Cobalt	EPA 200.7_4.4_1994	Good Standing	
Iron	EPA 200.7_4.4_1994	Good Standing	
Lead	EPA 200.7_4.4_1994	Good Standing	
Lithium	EPA 200.7_4.4_1994	Good Standing	
Magnesium	EPA 200.7_4.4_1994	Good Standing	
Manganese	EPA 200.7_4.4_1994	Good Standing	
Molybdenum	EPA 200.7_4.4_1994	Good Standing	
Nickel	EPA 200.7_4.4_1994	Good Standing	
Potassium	EPA 200.7_4.4_1994	Good Standing	
Selenium	EPA 200.7_4.4_1994	Good Standing	
Silica as SiO ₂	EPA 200.7_4.4_1994	Good Standing	86
Sodium	EPA 200.7_4.4_1994	Good Standing	
Strontium	EPA 200.7_4.4_1994	Good Standing	

Oklahoma Department of Environmental Quality

Effective Date: 8/17/2026

Scope of Accreditation Report for Green Country Testing, Inc. - OKC
2026-167

This is a revised scope. Previous version: 2026-140

Laboratory Accreditation Unit

Page 1 of 7

Scope Expires: 12/31/2026

Green Country Testing, Inc. - OKC

Matrix/Analyte	Method	Status	Notes
Tin	EPA 200.7_4.4_1994	Good Standing	
Titanium	EPA 200.7_4.4_1994	Good Standing	
Vanadium	EPA 200.7_4.4_1994	Good Standing	
Zinc	EPA 200.7_4.4_1994	Good Standing	
Aluminum	EPA 6010B_2_1996	Good Standing	
Antimony	EPA 6010B_2_1996	Good Standing	
Arsenic	EPA 6010B_2_1996	Good Standing	
Barium	EPA 6010B_2_1996	Good Standing	
Beryllium	EPA 6010B_2_1996	Good Standing	
Boron	EPA 6010B_2_1996	Good Standing	
Cadmium	EPA 6010B_2_1996	Good Standing	
Calcium	EPA 6010B_2_1996	Good Standing	
Chromium	EPA 6010B_2_1996	Good Standing	
Cobalt	EPA 6010B_2_1996	Good Standing	
Copper	EPA 6010B_2_1996	Good Standing	
Gold	EPA 6010B_2_1996	Good Standing	
Indium	EPA 6010B_2_1996	Good Standing	
Iron	EPA 6010B_2_1996	Good Standing	
Lead	EPA 6010B_2_1996	Good Standing	
Lithium	EPA 6010B_2_1996	Good Standing	
Magnesium	EPA 6010B_2_1996	Good Standing	
Manganese	EPA 6010B_2_1996	Good Standing	
Molybdenum	EPA 6010B_2_1996	Good Standing	
Nickel	EPA 6010B_2_1996	Good Standing	
Phosphorus, total	EPA 6010B_2_1996	Good Standing	
Potassium	EPA 6010B_2_1996	Good Standing	
Selenium	EPA 6010B_2_1996	Good Standing	
Silver	EPA 6010B_2_1996	Good Standing	
Sodium	EPA 6010B_2_1996	Good Standing	
Strontium	EPA 6010B_2_1996	Good Standing	
Sulfur	EPA 6010B_2_1996	Good Standing	
Tin	EPA 6010B_2_1996	Good Standing	
Titanium	EPA 6010B_2_1996	Good Standing	
Vanadium	EPA 6010B_2_1996	Good Standing	
Zinc	EPA 6010B_2_1996	Good Standing	
4,4'-DDD	EPA 608.3 GC-ECD	Good Standing	
4,4'-DDE	EPA 608.3 GC-ECD	Good Standing	
4,4'-DDT	EPA 608.3 GC-ECD	Good Standing	
Aldrin	EPA 608.3 GC-ECD	Good Standing	
alpha-BHC (alpha-Hexachlorocyclohexane)	EPA 608.3 GC-ECD	Good Standing	
Aroclor-1016 (PCB-1016)	EPA 608.3 GC-ECD	Good Standing	
Aroclor-1221 (PCB-1221)	EPA 608.3 GC-ECD	Good Standing	
Aroclor-1232 (PCB-1232)	EPA 608.3 GC-ECD	Good Standing	

Oklahoma Department of Environmental Quality

Laboratory Accreditation Unit

Effective Date: 8/17/2026

Page 2 of 7

Scope of Accreditation Report for Green Country Testing, Inc. - OKC
2026-167

Scope Expires: 12/31/2026

This is a revised scope. Previous version: 2026-140

Green Country Testing, Inc. - OKC

Matrix/Analyte	Method	Status	Notes
Aroclor-1242 (PCB-1242)	EPA 608.3 GC-ECD	Good Standing	
Aroclor-1248 (PCB-1248)	EPA 608.3 GC-ECD	Good Standing	
Aroclor-1254 (PCB-1254)	EPA 608.3 GC-ECD	Good Standing	
Aroclor-1260 (PCB-1260)	EPA 608.3 GC-ECD	Good Standing	
beta-BHC (beta-Hexachlorocyclohexane)	EPA 608.3 GC-ECD	Good Standing	
Chlordane (tech.)	EPA 608.3 GC-ECD	Good Standing	
cis-Chlordane (alpha-Chlordane)	EPA 608.3 GC-ECD	Good Standing	
delta-BHC	EPA 608.3 GC-ECD	Good Standing	
Dieldrin	EPA 608.3 GC-ECD	Good Standing	
Endosulfan I	EPA 608.3 GC-ECD	Good Standing	
Endosulfan II	EPA 608.3 GC-ECD	Good Standing	
Endosulfan sulfate	EPA 608.3 GC-ECD	Good Standing	
Endrin	EPA 608.3 GC-ECD	Good Standing	
Endrin aldehyde	EPA 608.3 GC-ECD	Good Standing	
Endrin ketone	EPA 608.3 GC-ECD	Good Standing	
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	EPA 608.3 GC-ECD	Good Standing	
gamma-Chlordane	EPA 608.3 GC-ECD	Good Standing	
Heptachlor	EPA 608.3 GC-ECD	Good Standing	
Heptachlor epoxide	EPA 608.3 GC-ECD	Good Standing	
Methoxychlor	EPA 608.3 GC-ECD	Good Standing	
Toxaphene (Chlorinated camphene)	EPA 608.3 GC-ECD	Good Standing	
4,4'-DDD	EPA 8081A_1_1996	Good Standing	
4,4'-DDE	EPA 8081A_1_1996	Good Standing	
4,4'-DDT	EPA 8081A_1_1996	Good Standing	
Aldrin	EPA 8081A_1_1996	Good Standing	
alpha-BHC (alpha-Hexachlorocyclohexane)	EPA 8081A_1_1996	Good Standing	
beta-BHC (beta-Hexachlorocyclohexane)	EPA 8081A_1_1996	Good Standing	
cis-Chlordane (alpha-Chlordane)	EPA 8081A_1_1996	Good Standing	
delta-BHC	EPA 8081A_1_1996	Good Standing	
Dieldrin	EPA 8081A_1_1996	Good Standing	
Endosulfan I	EPA 8081A_1_1996	Good Standing	
Endosulfan II	EPA 8081A_1_1996	Good Standing	
Endosulfan sulfate	EPA 8081A_1_1996	Good Standing	
Endrin	EPA 8081A_1_1996	Good Standing	
Endrin aldehyde	EPA 8081A_1_1996	Good Standing	
Endrin ketone	EPA 8081A_1_1996	Good Standing	
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	EPA 8081A_1_1996	Good Standing	
gamma-Chlordane	EPA 8081A_1_1996	Good Standing	
Heptachlor	EPA 8081A_1_1996	Good Standing	
Heptachlor epoxide	EPA 8081A_1_1996	Good Standing	
Methoxychlor	EPA 8081A_1_1996	Good Standing	
Toxaphene (Chlorinated camphene)	EPA 8081A_1_1996	Good Standing	
Aroclor-1016 (PCB-1016)	EPA 8082_0_1996	Good Standing	

Oklahoma Department of Environmental Quality

Effective Date: 8/17/2026

Scope of Accreditation Report for Green Country Testing, Inc. - OKC
2026-167

This is a revised scope. Previous version: 2026-140

Laboratory Accreditation Unit

Page 3 of 7

Scope Expires: 12/31/2026

Green Country Testing, Inc. - OKC

Matrix/Analyte	Method	Status	Notes
Aroclor-1221 (PCB-1221)	EPA 8082_0_1996	Good Standing	
Aroclor-1232 (PCB-1232)	EPA 8082_0_1996	Good Standing	
Aroclor-1242 (PCB-1242)	EPA 8082_0_1996	Good Standing	
Aroclor-1248 (PCB-1248)	EPA 8082_0_1996	Good Standing	
Aroclor-1254 (PCB-1254)	EPA 8082_0_1996	Good Standing	
Aroclor-1260 (PCB-1260)	EPA 8082_0_1996	Good Standing	
pH	EPA 9045D_(2004)	Good Standing	
Free liquid	EPA 9095A_(12/96)	Good Standing	
Nitrate as N	HACH 10206_2.1 (2013)	Good Standing	
Nitrate plus Nitrite as N	HACH 10206_2.1 (2013)	Good Standing	
Diesel range organics (DRO)	OK DEQ DRO	Good Standing	
Alkalinity as CaCO3	SM 2320 B-2021	Good Standing	
Residue-total	SM 2540 B-2015	Good Standing	
Residue-total	SM 2540 B-2020 (24th ED)	Good Standing	
Residue-filterable (TDS)	SM 2540 C-2015	Good Standing	
Residue-filterable (TDS)	SM 2540 C-2020	Good Standing	
Residue-nonfilterable (TSS)	SM 2540 D-2015	Good Standing	
Residue-nonfilterable (TSS)	SM 2540 D-2020	Good Standing	
Temperature, deg. C	SM 2550 B-2010	Good Standing	63
Total residual chlorine	SM 4500-Cl G-2011	Good Standing	63
Chloride	SM 4500-Cl ⁻ B-2011	Good Standing	
Chloride	SM 4500-Cl ⁻ B-2021	Good Standing	
Fluoride	SM 4500-F ⁻ D 24th ED	Good Standing	
pH	SM 4500-H+ B-2011	Good Standing	63
pH	SM 4500-H+ B-2021	Good Standing	63
pH	SM 4500-H+ B-2021	Good Standing	
Nitrite as N	SM 4500-NO2 ⁻ B-2011	Good Standing	
Nitrite as N	SM 4500-NO2 ⁻ B-2021	Good Standing	
Nitrate as N	SM 4500-NO3 ⁻ E-2011 minus SM 4500-NO2 ⁻ B-2011 (calc)	Good Standing	
Nitrate plus Nitrite as N	SM 4500-NO3 ⁻ E-2016	Good Standing	
Nitrate plus Nitrite as N	SM 4500-NO3 ⁻ E-2019	Good Standing	
Oxygen, dissolved	SM 4500-O G 24th ED	Good Standing	86
Sulfate	SM 4500-SO4 ⁻ E-2011	Good Standing	
Sulfate	SM 4500-SO4 ⁻ E-2021	Good Standing	
Biochemical oxygen demand	SM 5210 B-2016	Good Standing	
Carbonaceous BOD, CBOD	SM 5210 B-2016	Good Standing	
Chemical oxygen demand	SM 5220 B-2011	Good Standing	
Total Petroleum Hydrocarbons (TPH)	TNRCC 1005 Rev 3 (2001)	Good Standing	

Solids

Toxicity Characteristic Leaching Procedure (TCLP)	EPA 1311_0_1992	Good Standing
---	-----------------	---------------

Oklahoma Department of Environmental Quality

Effective Date: 8/17/2026

Scope of Accreditation Report for Green Country Testing, Inc. - OKC
2026-167

This is a revised scope. Previous version: 2026-140

Laboratory Accreditation Unit

Page 4 of 7

Scope Expires: 12/31/2026

Green Country Testing, Inc. - OKC

Matrix/Analyte	Method	Status	Notes
n-Hexane Extractable Material (Oil and Grease)	EPA 1664A_1_1999	Good Standing	
Arsenic	EPA 200.7_4.4_1994	Good Standing	
Barium	EPA 200.7_4.4_1994	Good Standing	
Beryllium	EPA 200.7_4.4_1994	Good Standing	
Boron	EPA 200.7_4.4_1994	Good Standing	
Cadmium	EPA 200.7_4.4_1994	Good Standing	
Calcium	EPA 200.7_4.4_1994	Good Standing	
Chromium	EPA 200.7_4.4_1994	Good Standing	
Copper	EPA 200.7_4.4_1994	Good Standing	
Iron	EPA 200.7_4.4_1994	Good Standing	
Lead	EPA 200.7_4.4_1994	Good Standing	
Lithium	EPA 200.7_4.4_1994	Good Standing	
Magnesium	EPA 200.7_4.4_1994	Good Standing	
Manganese	EPA 200.7_4.4_1994	Good Standing	
Molybdenum	EPA 200.7_4.4_1994	Good Standing	
Nickel	EPA 200.7_4.4_1994	Good Standing	
Phosphorus, total	EPA 200.7_4.4_1994	Good Standing	
Potassium	EPA 200.7_4.4_1994	Good Standing	
Selenium	EPA 200.7_4.4_1994	Good Standing	
Silver	EPA 200.7_4.4_1994	Good Standing	
Vanadium	EPA 200.7_4.4_1994	Good Standing	
Zinc	EPA 200.7_4.4_1994	Good Standing	
Antimony	EPA 6010B_2_1996	Good Standing	
Arsenic	EPA 6010B_2_1996	Good Standing	
Barium	EPA 6010B_2_1996	Good Standing	
Beryllium	EPA 6010B_2_1996	Good Standing	
Boron	EPA 6010B_2_1996	Good Standing	
Cadmium	EPA 6010B_2_1996	Good Standing	
Calcium	EPA 6010B_2_1996	Good Standing	
Chromium	EPA 6010B_2_1996	Good Standing	
Cobalt	EPA 6010B_2_1996	Good Standing	
Indium	EPA 6010B_2_1996	Good Standing	
Iron	EPA 6010B_2_1996	Good Standing	
Lead	EPA 6010B_2_1996	Good Standing	
Lithium	EPA 6010B_2_1996	Good Standing	
Magnesium	EPA 6010B_2_1996	Good Standing	
Manganese	EPA 6010B_2_1996	Good Standing	
Molybdenum	EPA 6010B_2_1996	Good Standing	
Nickel	EPA 6010B_2_1996	Good Standing	
Potassium	EPA 6010B_2_1996	Good Standing	
Selenium	EPA 6010B_2_1996	Good Standing	
Silica as SiO2	EPA 6010B_2_1996	Good Standing	
Sulfur	EPA 6010B_2_1996	Good Standing	

Oklahoma Department of Environmental Quality

Effective Date: 8/17/2026

Scope of Accreditation Report for Green Country Testing, Inc. - OKC

2026-167

This is a revised scope. Previous version: 2026-140

Laboratory Accreditation Unit

Page 5 of 7

Scope Expires: 12/31/2026

Green Country Testing, Inc. - OKC

Matrix/Analyte	Method	Status	Notes
Titanium	EPA 6010B_2_1996	Good Standing	
Vanadium	EPA 6010B_2_1996	Good Standing	
Zinc	EPA 6010B_2_1996	Good Standing	
Chromium VI	EPA 7196A_1_1992	Good Standing	
4,4'-DDD	EPA 8081A_1_1996	Good Standing	
4,4'-DDE	EPA 8081A_1_1996	Good Standing	
4,4'-DDT	EPA 8081A_1_1996	Good Standing	
Alachlor	EPA 8081A_1_1996	Good Standing	86
Aldrin	EPA 8081A_1_1996	Good Standing	
alpha-BHC (alpha-Hexachlorocyclohexane)	EPA 8081A_1_1996	Good Standing	
beta-BHC (beta-Hexachlorocyclohexane)	EPA 8081A_1_1996	Good Standing	
cis-Chlordane (alpha-Chlordane)	EPA 8081A_1_1996	Good Standing	
delta-BHC	EPA 8081A_1_1996	Good Standing	
Dieldrin	EPA 8081A_1_1996	Good Standing	
Endosulfan I	EPA 8081A_1_1996	Good Standing	
Endosulfan II	EPA 8081A_1_1996	Good Standing	
Endosulfan sulfate	EPA 8081A_1_1996	Good Standing	
Endrin	EPA 8081A_1_1996	Good Standing	
Endrin aldehyde	EPA 8081A_1_1996	Good Standing	
Endrin ketone	EPA 8081A_1_1996	Good Standing	
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	EPA 8081A_1_1996	Good Standing	
gamma-Chlordane	EPA 8081A_1_1996	Good Standing	
Heptachlor	EPA 8081A_1_1996	Good Standing	
Heptachlor epoxide	EPA 8081A_1_1996	Good Standing	
Methoxychlor	EPA 8081A_1_1996	Good Standing	
Aroclor-1016 (PCB-1016)	EPA 8082_0_1996	Good Standing	
Aroclor-1221 (PCB-1221)	EPA 8082_0_1996	Good Standing	
Aroclor-1232 (PCB-1232)	EPA 8082_0_1996	Good Standing	
Aroclor-1242 (PCB-1242)	EPA 8082_0_1996	Good Standing	
Aroclor-1248 (PCB-1248)	EPA 8082_0_1996	Good Standing	
Aroclor-1254 (PCB-1254)	EPA 8082_0_1996	Good Standing	
Aroclor-1260 (PCB-1260)	EPA 8082_0_1996	Good Standing	
Corrosivity	EPA 9045D_(2004)	Good Standing	
pH	EPA 9045D_(2004)	Good Standing	
Diesel range organics (DRO)	OK DEQ DRO	Good Standing	
Alkalinity as CaCO3	SM 2320 B-2011	Good Standing	
pH	SM 4500-H+ B-2011	Good Standing	
Nitrate plus Nitrite as N	SM 4500-NO3 ⁻ E-2016	Good Standing	
Sulfate	SM 4500-SO4 ⁻ E-2011	Good Standing	
Sulfate	SM 4500-SO4 ⁻ E-2021	Good Standing	
Total Petroleum Hydrocarbons (TPH)	TNRCC 1005 Rev 3 (2001)	Good Standing	

Oklahoma Department of Environmental Quality

Effective Date: 8/17/2026

Scope of Accreditation Report for Green Country Testing, Inc. - OKC
2026-167

This is a revised scope. Previous version: 2026-140

Laboratory Accreditation Unit

Page 6 of 7

Scope Expires: 12/31/2026

Green Country Testing, Inc. - OKC

Matrix/Analyte	Method	Status	Notes
----------------	--------	--------	-------

Accredited Parameter Note Detail

63 - Has demonstrated competency to analyze environmental samples in accordance with Oklahoma Administrative Code 252:302 and is hereby granted accreditation under the Oklahoma Field Laboratory Accreditation Program.

86 - Accreditation only valid for secondary accreditation purposes. Not approved for Oklahoma use.



Authentication Signature

08/17/2026

Date